

ARMY RESEARCH LABORATORY



High Performance Visors

by **Peter G. Dehmer and Melissa A. Klusewitz**

ARL-RP-45

August 2002

A reprint from the 8th Department of Defense Electromagnetic Windows Symposium, U.S. Air Force Academy, Colorado Springs, CO, April 2000.

Approved for public release; distribution is unlimited.

NOTICES

Disclaimers

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents.

Citation of manufacturer's or trade names does not constitute an official endorsement or approval of the use thereof.

Destroy this report when it is no longer needed. Do not return it to the originator.

Army Research Laboratory

Aberdeen Proving Ground, MD 21005-5069

ARL-RP-45

August 2002

High Performance Visors

Peter G. Dehmer and Melissa A. Klusewitz

Weapons and Materials Research Directorate, ARL

A reprint from the 8th Department of Defense Electromagnetic Windows Symposium, U.S. Air Force Academy, Colorado Springs, CO, April 2000.

Approved for public release; distribution is unlimited.

Abstract

Polycarbonate (PC) has been the material of choice for both military and commercial eye protection since its introduction nearly 40 years ago. PC is a clear, easily molded material with excellent impact resistance over a broad temperature range. It does, however, have several limitations; its impact properties are degraded by extended exposure to direct sunlight, it is attacked by common solvents, and its impact performance does not scale with thickness. This paper discusses the development of materials for two new visors, an all-plastic riot visor to replace an existing PC item and a glass/plastic visor to replace the existing acrylic/PC explosive ordnance disposal (EOD) visor. The goal for the riot visor is to improve the ballistic performance by 30% while maintaining or reducing the overall weight of the visor. The goal for the EOD visor is to produce an item that provides protection equal to that of the standard issue helmet while reducing the weight of the visor 30%, compared to the existing EOD visor. The approach is to investigate polyurethane (PU) materials for use in the all-plastic riot visor and to investigate the use of glass/plastic or plastic/plastic laminates using the PU materials to reduce the weight and increase the performance of the EOD visor. Issues addressed will include materials selection, bonding and fabrication, and ballistics evaluation. The results of this effort are the ballistic characterization of the PU materials for use in both all plastic and glass/plastic systems.

High Performance Visors

P.G. Dehmer* and M. A. Klusewitz*

Polycarbonate (PC) has been the material of choice for both military and commercial eye protection since its introduction nearly 40 years ago. PC is a clear, easily molded material with excellent impact resistance over a broad temperature range. It does, however, have several limitations; its impact properties are degraded by extended exposure to direct sunlight, it is attacked by common solvents, and its impact performance does not scale with thickness. This paper discusses the development of materials for two new visors, an all-plastic riot visor to replace an existing PC item and a glass/plastic visor to replace the existing acrylic/PC explosive ordnance disposal (EOD) visor. The goal for the riot visor is to improve the ballistic performance by 30% while maintaining or reducing the overall weight of the visor. The goal for the EOD visor is to produce an item that provides protection equal to that of the standard issue helmet while reducing the weight of the visor 30%, compared to the existing EOD visor. The approach is to investigate polyurethane (PU) materials for use in the all-plastic riot visor and to investigate the use of glass/plastic or plastic/plastic laminates using the PU materials to reduce the weight and increase the performance of the EOD visor. Issues addressed will include materials selection, bonding and fabrication, and ballistics evaluation. The results of this effort are the ballistic characterization of the PU materials for use in both all plastic and glass/plastic systems.

INTRODUCTION

Polycarbonate (PC) has been the material of choice for both military and commercial eye protection since its introduction nearly 40 years ago. PC is an easily formed or molded thermoplastic material that has been used by the U. S. Army for aircrew visors and sun, wind, and dust (SWD) goggles since the early 1970s¹ and spectacles since the mid 1980s.² This equipment provides protection from small (1 gram or less), slow moving (650 ft/sec) fragments but, does not provide full-face coverage. Although PC provides adequate protection from these fragment threats, several investigations have been undertaken to develop new materials and systems for

*Peter G. Dehmer
U. S. Army Research Laboratory
ATTN: AMSRL-WM-MB
APG, MD 21005-5069
(410) 306-0776

* Melissa A Klusewitz
U. S. Army Research Laboratory
ATTN: AMSRL-WM-MB
APG, MD 21005-5069
(410) 306-0773

improved ballistic protection.^{3,4} These efforts uncovered several candidate materials including polyurethane (PU), transparent nylons, and glass/plastic laminates. Although these materials showed promise, either the increase in performance was not sufficient to warrant further investigation or the material had some shortcoming such as excessive color, high cost, or lack of a commercial source, which disqualified it from further consideration.

The goal for this effort is to provide the soldier with increased full-face protection from small fragments, not bullets. This is accomplished by improving the performance of two existing visors. The first is a riot visor (Fig. 1). This full-face, helmet-mounted visor is injection molded from clear PC, is approximately 0.250-in thick, and is required to protect the user from large, low-velocity projectiles, such as rocks and bottles, and from small higher velocity fragments. Through the use of a new PU material, the ballistic performance of this visor was improved by 30% with a slight reduction in the visor's weight. The second, an explosive ordnance disposal (EOD) visor (Fig. 2) a full-face helmet mounted visor, is a laminated structure with a 0.375-in thick acrylic outer ply and a 0.25-in thick PC inner ply. This visor is designed to provide protection from small, very high velocity (2000 ft/sec) fragments encountered by mine and ordnance disposal personnel. Through the use of glass/plastic laminates, the weight of this visor was reduced 30%, with no loss of performance.




Fig. 1 Riot Visor




Fig. 2 S820 EOD Visor

APPROACH

The approach was to investigate PU materials for use in the all-plastic riot visor and to investigate the use of glass/plastic or plastic/plastic laminates using the PU materials to reduce the weight and increase the performance of the EOD visor. The specifications for the riot and EOD visors are shown in Table 1.

Specifically, several thicknesses of PU were evaluated ballistically against a .22-caliber fragment simulator projectile (FSP) and compared to PC over the same thickness range. Baseline soda lime glass/PC laminates were fabricated and tested against the fragment threat. Using the same construction, Vycor/PC, Vycor/PU, fused silica/PC, fused silica/PU, Transarm/PU, and several all-plastic laminates were made and evaluated.

The results were then compared. The construction of several of the more promising candidate laminates was optimized.

Table 1
EXISTING VISOR SPECIFICATIONS

	V50 velocity w/ 17 grain ft/sec, m/sec	Approximate Areal Density lb/ft ²	Construction out to in inches
Army/ PS820	2050 /625 (QA)	4.27	0.375 Acrylic/ 0.25 PC
Riot Visor	850/259	1.55	0.250

MATERIALS

Plastics

Two types of plastics were investigated:

1. PC: This material was used as the baseline material for both monolithic and laminated systems because of its long-term use and acceptance by the armor community. The PC used was Lexan⁺ 9034 stock purchased from a local distributor in 4-ft × 8-ft sheets in 0.125-in and 0.250-in thicknesses. All required samples for laminating and ballistics testing were cut from these sheets.
2. PU: A new family of PU materials was developed by Simula Technologies Inc.⁺⁺⁵ and marketed by Simula Polymer Systems Inc.⁺⁺ Two of these materials were of interest, Sim 2003 and Sim 1802. The Sim 2003 is a thermoset plastic that can be processed via casting or liquid injection molding. This material is clear with a very light straw tint and demonstrates very good impact resistance, even in thick sections. The Sim 2003 was considered as a replacement for PC for the riot visor and as the backing ply in the all-plastic and glass/plastic laminated systems. The material was purchased in 12-in × 12-in sheets in thicknesses of 0.125-in, 0.250-in, 0.375-in and, 0.50-in. The Sim 1802 is also a clear thermoset plastic with a light straw tint and is processed in the same manner as the Sim 2003, but it is much harder and consequently more brittle. The material was purchased in 12-in × 12-in × 0.125-in sheets. This material would be considered for use as the hardface in the all-plastic laminated systems.

⁺ G E Plastics, One Plastics Ave., Pittsfield, MA 01201.

⁺⁺ Simula Technologies Inc, and Simula Polymer Systems Inc., 10016 S. 51st St., Phoenix, AZ 85044.

Glass and Glass/Ceramics

Three types of glass and one glass/ceramic were investigated:

1. Soda lime glass: Soda lime, or window glass, is widely used in transparent armor applications for both fragment and small arms protection. As such, it would be used as the baseline hardface for the glass/plastic laminated systems. It was purchased locally in 12-in \times 12-in \times 0.125-in plates and cut into 2-in \times 2-in squares for ballistic laminate fabrication.
2. Vycor:^{*} Vycor is a 96% fused silica glass which is a water-clear, high-strength glass that has shown promise as an armor material and was considered because of its low specific gravity. It was purchased in 2-in \times 2-in squares, 0.125-in and 0.1875-in thick.
3. Fused silica: 100% fused silica is very similar to the Vycor. It was purchased in 2-in \times 2-in squares, 0.125-in and 0.1875-in thick.
4. Transarm:^{**} This material is a recrystallized lithium disilicate glass. It has all the workability of an amorphous glass, but once it has been crystallized, it demonstrates properties more like those of a ceramic. It was purchased in 2-in \times 2-in squares, 0.125-in and 0.250-in thick. The 0.250-in samples were ground to 0.1875-in to maintain continuity of testing.

Interlayer

The interlayer used for all laminates was KPUR 300, a thermoplastic PU adhesive sold by KSH Inc., at the time of its purchase. This material is now sold by Morton Chemical Inc.[#] It is 0.050-in thick sheet material that can be layered to build up a required thickness.

SAMPLE FABRICATION

Plastic

Samples for ballistic testing were cut from the larger sheets. All the plastic samples were 6-in \times 6-in.

* Corning Inc., One Riverfront Plaza, Corning, NY 14831.

** Alstom UK Ltd., Research & Technology Centre Stafford, Staffordshire, ST17 4LN, England.

Morton International Inc., 100 N. Riverside Plaza, Chicago, IL 60606.

Plastic/Plastic

As with the monolithic plastic ballistic samples, the plastic/plastic samples were 6-in \times 6-in. Prior to the lay-up procedure, all the plastic sheets and interlayers were cleaned thoroughly with isopropyl alcohol and allowed to air dry. The lay-up sequence was as follows: 1) 0.125-in sheet of the Sim 2003 was put down as the trailing ply, 2) a 0.050-in sheet of the PU adhesive interlayer was placed down, and 3) the 0.125-in Sim 1802 striking ply was then put down. Steps 2 and 3 were then repeated until the required sample thickness was achieved.

Glass/Plastic

Prior to the to the lay-up procedure, all glass-striking plies were cleaned thoroughly with acetone and then with isopropyl alcohol and allowed to air dry. All plastic sheets and interlayers were cleaned thoroughly with isopropyl alcohol and allowed to air dry. The lay-up sequence was then as follows: 1) a 12-in \times 12-in sheet of either PU or PC was put down as the trailing ply, 2) two layers of the 0.050-in PU adhesive interlayer, cut to 2.125-in \times 2.125-in, were then put down, and 3) a 2-in \times 2-in glass-striking ply was then put down on top of the interlayer. Steps 2 and 3 were repeated until nine of the 2-in \times 2-in lay-ups were arranged in an equally spaced 3 \times 3 array on the striking ply (see Fig. 3).

Once the lay-up was completed, it had to be bagged for autoclave processing. The bagging procedure was as follows: 1) the lay-up was wrapped in two layers of perforated peel ply, 2) the lay-up was then wrapped in two layers of 16-oz felt breather, 3) two vacuum glands were then placed on a piece of felt breather extending off the lay-up proper, and 4) the completed lay-up was then placed in a nylon bag. The bag was then sealed, and a vacuum was applied (Fig. 4).



Fig. 3 Glass/Plastic Lay-up Array




Fig. 4 Glass/Plastic Lay-up Bagged for Autoclave Bonding

Processing

A 3-ft × 6-ft microprocessor controlled autoclave was used to fabricate the plastic/plastic and glass/plastic laminates. The autoclave was capable of a maximum temperature of 800°F and a maximum pressure of 350 psi. The processing cycle used to bond the laminates required a maximum temperature of 200°F. A pressure of 75 psi was required for the glass/plastic laminates. This compressed the interlayer from 0.100 in down to approximately 0.080 in. A pressure of 150 psi was needed for the plastic/plastic laminates. This compressed the interlayer down from a starting thickness of 0.050 in to approximately 0.025 in. The total cycle time was 4 hours. Almost half of this time was devoted to an extremely slow cool down (1°F/min). This cooling rate was required to prevent cracking of the glass striking plies and warping of the all-plastic laminates.

EXPERIMENTAL

Ballistic Testing

Ballistic testing was carried out using a standard .22-caliber FSP weighing 1.1 grams. For velocities below 2000 ft/sec, the projectiles were fired from a 48-in-long gas gun connected to a high-speed solenoid valve leading to a helium gas cylinder. Before firing, a pressure was selected; the gun was fired by manual closure of an electrical circuit that opened the solenoid valve. The projectile velocities were determined by a pair of printed silver grid paper screens located in front of the specimen and connected to an electronic chronograph for time-of-flight measurements.⁶

For velocities above 2000 ft/sec, the testing was conducted using a 22-in-long, .223 barrel with a 1:12 twist. Projectile velocity was controlled by varying the amount of smokeless powder that was loaded into the brass case. The muzzle of the gun was placed 87 inches from the target fixture. An orthogonal flash radiograph system was used to measure projectile velocity, vertical pitch, and horizontal yaw. This system was initiated by a breakscreen placed 51 inches from the muzzle of the gun.

The ballistic test samples were clamped to a steel frame with four C-clamps, one at each corner. A 0.002-in aluminum witness foil was positioned 2 inches behind and parallel to the sample. V_{50} tests were conducted in accordance with MIL-STD-662.⁷

RESULTS AND DISCUSSION

Plastics

The results of the ballistic testing of the monolithic plastic materials are shown in Fig. 5. The data for acrylic¹ (PMMA) are included for comparison purposes only. The Sim 2003 PU demonstrated substantially better performance than the PC at every areal density tested. Areal density is defined as the weight per unit area. It should be noted that as areal density of the PU and the PC increased the performance of the PU relative to the PC increased. On average, the PU was about 30 - 35% better than the PC.

By looking at the data specifically for materials with thicknesses that could be used for the riot visor (Table 2), it is apparent that by simply substituting 0.250-in PU for the 0.250-in PC, a substantial gain in performance of 33% can be achieved. If one wanted to maintain the existing level of protection that the 0.250-in PC offers, the 0.125-in PU could be substituted. This would result in a 50% reduction in weight of the visor.




Fig. 5 Results of the Ballistic Testing of the Monolithic Plastic Materials

Table 2
RESULTS OF THE BALLISTIC TESTING OF THE RIOT VISOR MATERIAL

	V50 velocity w/ 17 grain ft/sec.- m/sec.	Approximate Areal Density lb/ft ²	Construction inches
PC	714/218	.813	0.125
PC	888/271	1.55	0.250
Sim 2003	864/263	.729	0.125
Sim 2003	1188/362	1.48	0.250

Laminates

The glass/plastic and, to a lesser extent, plastic/plastic laminates make use of the harder front-face material to deform the fragment. Crack formation is the energy absorption mechanism used to defeat the projectile. The trailing ply is typically a tougher material that will deform but not crack. Its role is to keep the spall and projectile away from the wearer. The glass/plastic laminates have a 0.080-in thick interlayer to

accommodate the order of magnitude difference in coefficients of thermal expansion between the glass and plastic. The thicker interlayer is also needed to isolate the glass from the plastic and stop any cracks from propagating from the glass to the plastic. The plastic/plastic laminates require a much thinner, 0.010 - 0.015-in interlayer since the thermal expansion coefficients of the plastics are similar. The crack propagation problems are not as severe.

Plastic/Plastic Laminates Several different constructions of plastic/plastic laminates were evaluated (Table 3). All were fabricated using the Simula PU materials. The laminate construction that proved to be the most efficient is the second one listed in Table 3. It consists of three plies of the Sim 1802 and one ply of the Sim 2003. One 0.050-in thick sheet of interlayer is inserted between each PU ply to bond the laminate together. The 0.050-in thick interlayer was used because the 0.015-in thick material was not available. This nonoptimized laminate performed nearly as well as the glass/plastic systems, with only a slightly greater areal density. If the optimal thickness interlayer was used, the areal density would be very similar to that of the better performing glass/plastic systems. This optimized plastic/plastic laminate is also shown in Table 3. The plastic striking plies were not hard enough to deform the FSP.

Table 3
RESULTS OF THE BALLISTIC TESTING OF THE
POLYURETHANE LAMINATES

	V50 velocity w/ 17 grain ft/sec.- m/sec.	Approximate Areal Density lb/ft ²	Construction out to in inches
PU Laminate	1995/608	4.25	0.125 Sim 2003/0.250 Sim 1802 /0.125 Sim 2003
PU Laminate	2021/616	3.84	0.375 Sim 1802/0.125 Sim 2003
PU Laminate	2510/765	5.2	0.125 Sim 1802/0.250 Sim 2003/ 0.125 Sim 1802
Optimized PU laminate	-	3.15-3.25	0.375 Sim 1802/0.125 Sim 2003

Glass/Plastics Laminates Two laminate constructions were evaluated. The first consisted of 0.125-in glass-striking ply laminated to a 0.250-in plastic-backing ply. This construction was chosen because it was the same as that used in a commercial glass/plastic visor. The second consisted of a 0.1875-in glass-striking ply laminated to a 0.125-in plastic-backing ply. This system was chosen because it is very close to the 2/3:1/3 ratio of hard face-to-trailing ply considered optimal for transparent armor used for small arms protection. In all cases, this second construction provided superior protection at a reduced areal density. The FSP was always deformed by the glass-striking ply.

Soda Lime Glass/Plastic The soda lime glass/PC and the soda lime glass/PU systems were use as baselines. Only the 0.125-in/0.250-in construction was used. The use of the

PU-striking ply improved the performance marginally. The results reported in Table 4 are fairly good. These would be the least expensive systems.

Table 4
RESULTS OF THE BALLISTIC TESTING OF THE
SODA LIME GLASS/PLASTIC LAMINATES

	V50 velocity w/ 17 grain ft/sec.- m/sec.	Approximate Areal Density lb/ft ²	Construction out to in inches
SL glass/PC	2001/610	3.67	0.125/0.080/0.217
SL glass/ Sim 2003	2077/633	3.60	0.125/0.080/0.250

Vycor/Plastic Vycor/PC and Vycor/ PU laminates were fabricated in both laminate constructions. The 0.125- in/0.250-in Vycor /PC laminate was the only glass/plastic system that did not achieve a 2000 ft/sec V₅₀ (Table 5). All other Vycor systems performed better than the Army PS820 system. In all cases, the PU-backed systems were better than the PC-backed systems. The Vycor systems also had the lowest areal densities of any glass/plastic systems tested.

Table 5
RESULTS OF THE BALLISTIC TESTING OF THE
VYCOR LAMINATES

	V50 velocity w/ 17 grain ft/sec.- m/sec.	Approximate Areal Density lb/ft ²	Construction out to in inches
Vycor/PC	1962/598	3.14	0.121/0.080/0.217
Vycor/PC	2178/664	2.99	0.1875/0.080/0.125
Vycor/Sim 2003	2172/662	3.06	0.121/0.080/0.217
Vycor/Sim 2003	2261/689	2.97	0.1875/0.080/0.125

Fused Silica/Plastic Due to a limited supply of 0.1875 in fused silica, only the baseline fused silica/PC laminates were fabricated. Overall, the fused silica systems performed the best, providing the highest level of protection at areal densities comparable to those of the Vycor systems. The results are shown in Table 6.

Table 6
RESULTS OF THE BALLISTIC TESTING OF THE
FUSED SILICA LAMINATES

	V50 velocity w/ 17 grain ft/sec.-m/sec.	Approximate Areal Density lb/ft ²	Construction out to in inches
Fused silica/PC	2097/639	3.14	0.121/0.080/0.217
Fused silica/ Sim 2003	2244/684	3.17	0.121/0.080/0.250
Fused silica/ Sim 2003	2484/757	2.98	0.1875/0.080/0.125

Transarm/Plastic Only the Transarm/PU systems were fabricated. Again, this was due to an extremely limited supply of the Transarm striking plies. These were the second best performing systems (see Table 7), but were as heavy as the soda lime glass/plastic baseline system.

Table 7
RESULTS OF THE BALLISTIC TESTING OF THE
TRANSARM LAMINATES

	V50 velocity w/ 17 grain ft/sec.- m/sec.	Approximate Areal Density lb/ft ²	Construction out to in inches
Transarm/ Sim2003	2362/720	3.59	0.125/0.080/0.250
Transarm/ Sim2003	2379/725	3.31	0.1875/0.080/0.125

CONCLUSIONS

The results of the ballistic testing show that the Sim2003 PU material is substantially better than PC for low velocity fragment protection, and that this increased level of protection is maintained even at thicknesses above 0.125 in. This is a viable material for the riot visor and other military eye protection devices such as SWD goggles, aircrew visors, and spectacles. Results of the ballistic testing of the PU laminates indicate that these materials do provide the level of protection required for EOD and mine clearing operations. The design of these laminates must be optimized to achieve the predicted weight savings. Further work is also required to fully characterize the environmental durability of these materials.

Glass/plastic laminates also show promise for high-velocity fragment protection. This is true particularly for the high-temperature glasses and glass/ceramics. Laminates made with these materials have demonstrated the highest levels of protection at the lowest areal densities. The glass/ceramics can be formed like plate glass. However before high-temperature glasses such as fused silica can be used for visor applications,

the processing and economic issues associated with forming these materials must be overcome.

ACKNOWLEDGMENTS

The authors gratefully acknowledge the assistance of M. Burkins, D. Little, and V. Tarbert of the U. S. Army Research Laboratory, Armor Mechanics Branch, who carried out the high-velocity ballistics testing, and Christopher Klug of the University of Maryland, who assisted in the fabrication of the laminates.

REFERENCES

1. Lastnik, A.L., B. T. Cleavly, and J. B. Brown *Development and Fabrication of Polycarbonate Eyeshield for the U. S. Army Flyer's Helmet*, TR-71-3-CE, U.S. Army Natick Laboratories, Natick MA, June 1970.
2. Meyer, F. P. and R. Sacher *Solarization Effects on the Materials Employed in the Ballistic/Laser Eye Protective Spectacle System (B/LEPS)*, Interim Letter Report, U. S. Army Materials Technology Laboratory, Watertown, MA, May 1991.
3. Lewis, R. W., and G. R. Parsons *Ballistic Performance of Transparent Materials for Eye Protection*, AMMRC-TR-72-36 U. S. Army Material and Mechanics Research Center, Watertown MA, November 1972.
4. Roylance, M. E., and R. W. Lewis *Development of Transparent Polymers for Armor*, AMMRC-TR-72-23 U. S. Army Material and Mechanics Research Center, Watertown MA, July 1972.
5. Huyett, R. A. *Advanced Transparent Polyurethane for Enhanced Eye Protection Against Ballistic Fragmentation and Laser Threats*, Presentation and Proceedings of The Design & Integration Of Helmet Systems Symposium & Exhibition, Sheraton Tara Framingham, MA, 3-5 December 1997.
6. Hsieh, A. J., P. G. Dehmer, and P. W. Yip *A Preliminary Evaluation of Diamond-Like Carbon Coated Polycarbonate*, MTL-TR-91-42 U. S. Army Materials Technology Laboratory, Watertown, MA, September 1991.
7. U.S. Department of Defense, V^{50} *Ballistic Test for Armor*, MIL-STD662, 18 December 1997.

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>	<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
2	DEFENSE TECHNICAL INFORMATION CENTER DTIC OCA 8725 JOHN J KINGMAN RD STE 0944 FT BELVOIR VA 22060-6218	3	DIRECTOR US ARMY RESEARCH LAB AMSRL CI LL 2800 POWDER MILL RD ADELPHI MD 20783-1197
1	HQDA DAMO FDT 400 ARMY PENTAGON WASHINGTON DC 20310-0460	3	DIRECTOR US ARMY RESEARCH LAB AMSRL CI IS T 2800 POWDER MILL RD ADELPHI MD 20783-1197
1	OSD OUSD(A&T)/ODDR&E(R) DR R J TREW 3800 DEFENSE PENTAGON WASHINGTON DC 20301-3800		<u>ABERDEEN PROVING GROUND</u>
1	COMMANDING GENERAL US ARMY MATERIEL CMD AMCRDA TF 5001 EISENHOWER AVE ALEXANDRIA VA 22333-0001	2	DIR USARL AMSRL CI LP (BLDG 305)
1	INST FOR ADVNCD TCHNLGY THE UNIV OF TEXAS AT AUSTIN 3925 W BRAKER LN STE 400 AUSTIN TX 78759-5316		
1	US MILITARY ACADEMY MATH SCI CTR EXCELLENCE MADN MATH THAYER HALL WEST POINT NY 10996-1786		
1	DIRECTOR US ARMY RESEARCH LAB AMSRL D DR D SMITH 2800 POWDER MILL RD ADELPHI MD 20783-1197		
1	DIRECTOR US ARMY RESEARCH LAB AMSRL CI AI R 2800 POWDER MILL RD ADELPHI MD 20783-1197		

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
1	DIRECTOR US ARMY RESEARCH LAB AMSRL CP CA D SNIDER 2800 POWDER MILL RD ADELPHI MD 20783-1197
1	DIRECTOR US ARMY RESEARCH LAB AMSRL CI IS R 2800 POWDER MILL RD ADELPHI MD 20783-1197
3	DIRECTOR US ARMY RESEARCH LAB AMSRL OP SD TL 2800 POWDER MILL RD ADELPHI MD 20783-1197
1	DPTY ASST SECY FOR R&T SARD TT THE PENTAGON RM 3EA79 WASHINGTON DC 20301-7100
1	COMMANDER US ARMY MATERIEL CMD AMXMI INT 5001 EISENHOWER AVE ALEXANDRIA VA 22333-0001
4	COMMANDER US ARMY ARDEC AMSTA AR CC G PAYNE J GEHBAUER C BAULIEU H OPAT PICATINNY ARSENAL NJ 07806-5000
2	COMMANDER US ARMY ARDEC AMSTA AR AE WW E BAKER J PEARSON PICATINNY ARSENAL NJ 07806-5000
1	COMMANDER US ARMY ARDEC AMSTA AR FSE PICATINNY ARSENAL NJ 07806-5000

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
1	COMMANDER US ARMY ARDEC AMSTA AR TD C SPINELLI PICATINNY ARSENAL NJ 07806-5000
6	COMMANDER US ARMY ARDEC AMSTA AR CCH A W ANDREWS S MUSALLI R CARR M LUCIANO E LOGSDEN T LOUZEIRO PICATINNY ARSENAL NJ 07806-5000
1	COMMANDER US ARMY ARDEC AMSTA AR CCH P J LUTZ PICATINNY ARSENAL NJ 07806-5000
1	COMMANDER US ARMY ARDEC AMSTA AR FSF T C LIVECCHIA PICATINNY ARSENAL NJ 07806-5000
1	COMMANDER US ARMY ARDEC AMSTA ASF PICATINNY ARSENAL NJ 07806-5000
1	COMMANDER US ARMY ARDEC AMSTA AR QAC T C C PATEL PICATINNY ARSENAL NJ 07806-5000
1	COMMANDER US ARMY ARDEC AMSTA AR M D DEMELLA PICATINNY ARSENAL NJ 07806-5000

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
3	COMMANDER US ARMY ARDEC AMSTA AR FSA A WARNASH B MACHAK M CHIEFA PICATINNY ARSENAL NJ 07806-5000
2	COMMANDER US ARMY ARDEC AMSTA AR FSP G M SCHIKSNIS D CARLUCCI PICATINNY ARSENAL NJ 07806-5000
1	COMMANDER US ARMY ARDEC AMSTA AR FSP A P KISATSKY PICATINNY ARSENAL NJ 07806-5000
2	COMMANDER US ARMY ARDEC AMSTA AR CCH C H CHANIN S CHICO PICATINNY ARSENAL NJ 07806-5000
1	COMMANDER US ARMY ARDEC AMSTA AR QAC T D RIGOGLIOSO PICATINNY ARSENAL NJ 07806-5000
1	COMMANDER US ARMY ARDEC AMSTA AR WET T SACHAR BLDG 172 PICATINNY ARSENAL NJ 07806-5000
1	US ARMY ARDEC INTELLIGENCE SPECIALIST AMSTA AR WEL F M GUERRIERE PICATINNY ARSENAL NJ 07806-5000

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
9	COMMANDER US ARMY ARDEC AMSTA AR CCH B P DONADIA F DONLON P VALENTI C KNUTSON G EUSTICE S PATEL G WAGNECZ R SAYER F CHANG PICATINNY ARSENAL NJ 07806-5000
6	COMMANDER US ARMY ARDEC AMSTA AR CCL F PUZYCKI R MCHUGH D CONWAY E JAROSZEWSKI R SCHLENNER M CLUNE PICATINNY ARSENAL NJ 07806-5000
5	PM SADARM SFAE GCSS SD COL B ELLIS M DEVINE W DEMASSI J PRITCHARD S HROWNAK PICATINNY ARSENAL NJ 07806-5000
1	COMMANDER US ARMY ARDEC AMSTA AR WEA J BRESCIA PICATINNY ARSENAL NJ 07806-5000
1	COMMANDER US ARMY ARDEC PRODUCTION BASE MODERN ACTY AMSMC PBM K PICATINNY ARSENAL NJ 07806-5000

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>	<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
12	PM TMAS SFAE GSSC TMA R MORRIS C KIMKER D GUZIEWICZ E KOPACZ R ROESER R DARCY R KOWALSKI R MCDANOLDS L D ULISSE C ROLLER J MCGREEN B PATTEN PICATINNY ARSENAL NJ 07806-5000	1	US ARMY CERL R LAMPO 2902 NEWMARK DR CHAMPAIGN IL 61822
		1	COMMANDER US ARMY TACOM PM SURVIVABLE SYSTEMS SFAE GCSS W GSI H M RYZYI 6501 ELEVEN MILE RD WARREN MI 48397-5000
1	COMMANDER US ARMY TACOM PM ABRAMS SFAE ASM AB 6501 ELEVEN MILE RD WARREN MI 48397-5000	1	COMMANDER US ARMY TACOM CHIEF ABRAMS TESTING SFAE GCSS W AB QT T KRASKIEWICZ 6501 ELEVEN MILE RD WARREN MI 48397-5000
1	COMMANDER US ARMY TACOM AMSTA SF WARREN MI 48397-5000	1	COMMANDER WATERVLIET ARSENAL SMCWV QAE Q B VANINA BLDG 44 WATERVLIET NY 12189-4050
1	COMMANDER US ARMY TACOM PM BFVS SFAE GCSS W BV 6501 ELEVEN MILE RD WARREN MI 48397-5000	3	ARMOR SCHOOL ATZK TD R BAUEN J BERG A POMEY FT KNOX KY 40121
1	DIRECTOR AIR FORCE RESEARCH LAB MLLMD D MIRACLE 2230 TENTH ST WRIGHT PATTERSON AFB OH 45433-7817	2	HQ IOC TANK AMMUNITION TEAM AMSIO SMT R CRAWFORD W HARRIS ROCK ISLAND IL 61299-6000
1	OFC OF NAVAL RESEARCH J CHRISTODOULOU ONR CODE 332 800 N QUINCY ST ARLINGTON VA 22217-5600	2	COMMANDER US ARMY AMCOM AVIATION APPLIED TECH DIR J SCHUCK FT EUSTIS VA 23604-5577

<u>NO. OF</u> <u>COPIES</u>	<u>ORGANIZATION</u>	<u>NO. OF</u> <u>COPIES</u>	<u>ORGANIZATION</u>
14	COMMANDER US ARMY TACOM AMSTA TR R R MCCLELLAND D THOMAS J BENNETT D HANSEN AMSTA JSK S GOODMAN J FLORENCE K IYER D TEMPLETON A SCHUMACHER AMSTA TR D D OSTBERG L HINOJOSA B RAJU AMSTA CS SF H HUTCHINSON F SCHWARZ WARREN MI 48397-5000	2	US ARMY CORPS OF ENGINEERS CERD C T LIU CEW ET T TAN 20 MASS AVE NW WASHINGTON DC 20314
		1	US ARMY COLD REGIONS RSCH & ENGRNG LAB P DUTTA 72 LYME RD HANOVER NH 03755
		1	USA SBCCOM PM SOLDIER SPT AMSSB PM RSS A J CONNORS KANSAS ST NATICK MA 01760-5057
		2	USA SBCCOM MATERIAL SCIENCE TEAM AMSSB RSS J HERBERT M SENNETT KANSAS ST NATICK MA 01760-5057
14	BENET LABORATORIES AMSTA AR CCB R FISCELLA M SOJA E KATHE M SCAVULO G SPENCER P WHEELER S KRUPSKI J VASILAKIS G FRIAR R HASENBEIN AMSTA CCB R S SOPOK E HYLAND D CRAYON R DILLON WATERVLIET NY 12189-4050	2	OFC OF NAVAL RESEARCH D SIEGEL CODE 351 J KELLY 800 N QUINCY ST ARLINGTON VA 22217-5660
		1	NAVAL SURFACE WARFARE CTR TECH LIBRARY CODE 323 17320 DAHLGREN RD DAHLGREN VA 22448
		1	NAVAL SURFACE WARFARE CTR CRANE DIVISION M JOHNSON CODE 20H4 LOUISVILLE KY 40214-5245
1	DIRECTOR US ARMY AMCOM SFAE AV RAM TV D CALDWELL BLDG 5300 REDSTONE ARSENAL AL 35898	2	NAVAL SURFACE WARFARE CTR U SORATHIA C WILLIAMS CD 6551 9500 MACARTHUR BLVD WEST BETHESDA MD 20817
1	NAVAL SURFACE WARFARE CTR DAHLGREN DIV CODE G06 DAHLGREN VA 22448		

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>	<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
2	COMMANDER NAVAL SURFACE WARFARE CTR CARDEROCK DIVISION R PETERSON CODE 2020 M CRITCHFIELD CODE 1730 BETHESDA MD 20084	9	US ARMY RESEARCH OFC A CROWSON H EVERETT J PRATER G ANDERSON D STEPP D KISEROW J CHANG PO BOX 12211 RESEARCH TRIANGLE PARK NC 27709-2211
8	DIRECTOR US ARMY NATIONAL GROUND INTELLIGENCE CTR D LEITER MS 404 M HOLTUS MS 301 M WOLFE MS 307 S MINGLEDORF MS 504 J GASTON MS 301 W GSTATTENBAUER MS 304 R WARNER MS 305 J CRIDER MS 306 220 SEVENTH ST NE CHARLOTTESVILLE VA 22091	8	NAVAL SURFACE WARFARE CTR J FRANCIS CODE G30 D WILSON CODE G32 R D COOPER CODE G32 J FRAYSSE CODE G33 E ROWE CODE G33 T DURAN CODE G33 L DE SIMONE CODE G33 R HUBBARD CODE G33 DAHLGREN VA 22448
1	NAVAL SEA SYSTEMS CMD D LIESE 2531 JEFFERSON DAVIS HWY ARLINGTON VA 22242-5160	2	NAVAL SURFACE WARFARE CTR CARDEROCK DIVISION R CRANE CODE 2802 C WILLIAMS CODE 6553 3A LEGGETT CIR BETHESDA MD 20054-5000
1	NAVAL SURFACE WARFARE CTR M LACY CODE B02 17320 DAHLGREN RD DAHLGREN VA 22448	1	AFRL MLBC 2941 P ST RM 136 WRIGHT PATTERSON AFB OH 45433-7750
8	US ARMY SBCCOM SOLDIER SYSTEMS CENTER BALLISTICS TEAM J WARD W ZUKAS P CUNNIFF J SONG MARINE CORPS TEAM J MACKIEWICZ BUS AREA ADVOCACY TEAM W HASKELL AMSSB RCP SS W NYKVIST S BEAUDOIN KANSAS ST NATICK MA 01760-5019	1	AFRL MLSS R THOMSON 2179 12TH ST RM 122 WRIGHT PATTERSON AFB OH 45433-7718
1	EXPEDITIONARY WARFARE DIV N85 F SHOUP 2000 NAVY PENTAGON WASHINGTON DC 20350-2000	2	AFRL F ABRAMS J BROWN BLDG 653 2977 P ST STE 6 WRIGHT PATTERSON AFB OH 45433-7739

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>	<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
5	DIRECTOR LLNL R CHRISTENSEN S DETERESA F MAGNESS M FINGER MS 313 M MURPHY L 282 PO BOX 808 LIVERMORE CA 94550	1	OAK RIDGE NATIONAL LABORATORY C EBERLE MS 8048 PO BOX 2008 OAK RIDGE TN 37831
1	AFRL MLS OL L COULTER 7278 4TH ST BLDG 100 BAY D HILL AFB UT 84056-5205	3	DIRECTOR SANDIA NATIONAL LABS APPLIED MECHANICS DEPT MS 9042 J HANDROCK Y R KAN J LAUFFER PO BOX 969 LIVERMORE CA 94551-0969
1	OSD JOINT CCD TEST FORCE OSD JCCD R WILLIAMS 3909 HALLS FERRY RD VICKSBURG MS 29180-6199	1	OAK RIDGE NATIONAL LABORATORY C D WARREN MS 8039 PO BOX 2008 OAK RIDGE TN 37831
3	DARPA M VANFOSSEN S WAX L CHRISTODOULOU 3701 N FAIRFAX DR ARLINGTON VA 22203-1714	5	NIST J DUNKERS M VANLANDINGHAM MS 8621 J CHIN MS 8621 J MARTIN MS 8621 D DUTHINH MS 8611 100 BUREAU DR GAITHERSBURG MD 20899
2	SERDP PROGRAM OFC PM P2 C PELLERIN B SMITH 901 N STUART ST STE 303 ARLINGTON VA 22203	1	HYDROGEOLOGIC INC SERDP ESTCP SPT OFC S WALSH 1155 HERNDON PKWY STE 900 HERNDON VA 20170
1	DIRECTOR LOS ALAMOS NATIONAL LAB F L ADDESSIO T 3 MS 5000 PO BOX 1633 LOS ALAMOS NM 87545	3	NASA LANGLEY RSCH CTR AMSRL VS W ELBER MS 266 F BARTLETT JR MS 266 G FARLEY MS 266 HAMPTON VA 23681-0001
1	OAK RIDGE NATIONAL LABORATORY R M DAVIS PO BOX 2008 OAK RIDGE TN 37831-6195	1	NASA LANGLEY RSCH CTR T GATES MS 188E HAMPTON VA 23661-3400

<u>NO. OF</u> <u>COPIES</u>	<u>ORGANIZATION</u>	<u>NO. OF</u> <u>COPIES</u>	<u>ORGANIZATION</u>
1	FHWA E MUNLEY 6300 GEORGETOWN PIKE MCLEAN VA 22101	1	ADVANCED GLASS FIBER YARNS T COLLINS 281 SPRING RUN LANE STE A DOWNINGTON PA 19335
1	USDOT FEDERAL RAILRD M FATEH RDV 31 WASHINGTON DC 20590	1	COMPOSITE MATERIALS INC D SHORTT 19105 63 AVE NE PO BOX 25 ARLINGTON WA 98223
3	CYTEC FIBERITE R DUNNE D KOHLI R MAYHEW 1300 REVOLUTION ST HAVRE DE GRACE MD 21078	1	JPS GLASS L CARTER PO BOX 260 SLATER RD SLATER SC 29683
1	MARINE CORPS INTLLGNC ACTVTY D KOSITZKE 3300 RUSSELL RD STE 250 QUANTICO VA 22134-5011	1	COMPOSITE MATERIALS INC R HOLLAND 11 JEWEL CT ORINDA CA 94563
1	DIRECTOR NATIONAL GRND INTLLGNC CTR IANG TMT 220 SEVENTH ST NE CHARLOTTESVILLE VA 22902-5396	1	COMPOSITE MATERIALS INC C RILEY 14530 S ANSON AVE SANTA FE SPRINGS CA 90670
1	SIOUX MFG B KRIEL PO BOX 400 FT TOTTEN ND 58335	2	SIMULA J COLTMAN R HUYETT 10016 S 51ST ST PHOENIX AZ 85044
2	3TEX CORPORATION A BOGDANOVICH J SINGLETARY 109 MACKENAN DR CARY NC 27511	2	PROTECTION MATERIALS INC M MILLER F CRILLEY 14000 NW 58 CT MIAMI LAKES FL 33014
1	3M CORPORATION J SKILDUM 3M CENTER BLDG 60 IN 01 ST PAUL MN 55144-1000	2	FOSTER MILLER M ROYLANCE W ZUKAS 195 BEAR HILL RD WALTHAM MA 02354-1196
1	DIRECTOR DEFENSE INTLLGNC AGNCY TA 5 K CRELLING WASHINGTON DC 20310	1	ROM DEVELOPMENT CORP R O MEARA 136 SWINEBURNE ROW BRICK MARKET PLACE NEWPORT RI 02840

<u>NO. OF</u> <u>COPIES</u>	<u>ORGANIZATION</u>	<u>NO. OF</u> <u>COPIES</u>	<u>ORGANIZATION</u>
2	TEXTRON SYSTEMS T FOLTZ M TREASURE 1449 MIDDLESEX ST LOWELL MA 01851	8	ALLIANT TECHSYSTEMS INC C CANDLAND MN11 2830 C AAKHUS MN11 2830 B SEE MN11 2439 N VLAHAKUS MN11 2145 R DOHRN MN11 2830 S HAGLUND MN11 2439 M HISSONG MN11 2830 D KAMDAR MN11 2830 600 SECOND ST NE HOPKINS MN 55343-8367
1	O GARA HESS & EISENHARDT M GILLESPIE 9113 LESAINTE DR FAIRFIELD OH 45014		
2	MILLIKEN RSCH CORP H KUHN M MACLEOD PO BOX 1926 SPARTANBURG SC 29303	1	SAIC G CHRYSSOMALLIS 3800 W 80TH ST STE 1090 BLOOMINGTON MN 55431
1	CONNEAUGHT INDUSTRIES INC J SANTOS PO BOX 1425 COVENTRY RI 02816	1	AAI CORPORATION T G STASTNY PO BOX 126 HUNT VALLEY MD 21030-0126
1	BATTELLE NATICK OPNS B HALPIN 209 W CENTRAL ST STE 302 NATICK MA 01760	1	APPLIED COMPOSITES W GRISCH 333 NORTH SIXTH ST ST CHARLES IL 60174
1	ARMTEC DEFENSE PRODUCTS S DYER 85 901 AVE 53 PO BOX 848 COACHELLA CA 92236	1	CUSTOM ANALYTICAL ENG SYS INC A ALEXANDER 13000 TENSOR LANE NE FLINTSTONE MD 21530
1	NATIONAL COMPOSITE CENTER T CORDELL 2000 COMPOSITE DR KETTERING OH 45420	1	OFC DEPUTY UNDER SEC DEFNS J THOMPSON 1745 JEFFERSON DAVIS HWY CRYSTAL SQ 4 STE 501 ARLINGTON VA 22202
3	PACIFIC NORTHWEST LAB M SMITH G VAN ARSDALE R SHIPPELL PO BOX 999 RICHLAND WA 99352	3	ALLIANT TECHSYSTEMS INC J CONDON E LYNAM J GERHARD WV01 16 STATE RT 956 PO BOX 210 ROCKET CENTER WV 26726-0210
1	SAIC M PALMER 1410 SPRING HILL RD STE 400 MS SH4 5 MCLEAN VA 22102	1	PROJECTILE TECHNOLOGY INC 515 GILES ST HAVRE DE GRACE MD 21078

<u>NO. OF</u> <u>COPIES</u>	<u>ORGANIZATION</u>	<u>NO. OF</u> <u>COPIES</u>	<u>ORGANIZATION</u>
3	HEXCEL INC R BOE PO BOX 18748 SALT LAKE CITY UT 84118	5	SIKORSKY AIRCRAFT G JACARUSO T CARSTENSAN B KAY S GARBO MS S330A J ADELMANN 6900 MAIN ST PO BOX 9729 STRATFORD CT 06497-9729
5	AEROJET GEN CORP D PILLASCH T COULTER C FLYNN D RUBAREZUL M GREINER 1100 WEST HOLLYVALE ST AZUSA CA 91702-0296	1	AEROSPACE CORP G HAWKINS M4 945 2350 E EL SEGUNDO BLVD EL SEGUNDO CA 90245
1	HERCULES INC HERCULES PLAZA WILMINGTON DE 19894	2	CYTEC FIBERITE M LIN W WEB 1440 N KRAEMER BLVD ANAHEIM CA 92806
1	BRIGS COMPANY J BACKOFEN 2668 PETERBOROUGH ST HERNDON VA 22071-2443	1	UDLP G THOMAS PO BOX 58123 SANTA CLARA CA 95052
1	ZERNOW TECHNICAL SERVICES L ZERNOW 425 W BONITA AVE STE 208 SAN DIMAS CA 91773	2	UDLP R BARRETT MAIL DROP M53 V HORVATICH MAIL DROP M53 328 W BROKAW RD SANTA CLARA CA 95052-0359
1	GENERAL DYNAMICS OTS L WHITMORE 10101 NINTH ST NORTH ST PETERSBURG FL 33702	3	UDLP GROUND SYSTEMS DIVISION M PEDRAZZI MAIL DROP N09 A LEE MAIL DROP N11 M MACLEAN MAIL DROP N06 1205 COLEMAN AVE SANTA CLARA CA 95052
3	GENERAL DYNAMICS OTS FLINCHBAUGH DIV E STEINER B STEWART T LYNCH PO BOX 127 RED LION PA 17356	4	UDLP R BRYNSVOLD P JANKE MS 170 4800 EAST RIVER RD MINNEAPOLIS MN 55421-1498
1	GKN AEROSPACE D OLDS 15 STERLING DR WALLINGFORD CT 06492	2	BOEING ROTORCRAFT P MINGURT P HANDEL 800 B PUTNAM BLVD WALLINGFORD PA 19086
1	PRATT & WHITNEY C WATSON 400 MAIN ST MS 114 37 EAST HARTFORD CT 06108		

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>	<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
1	BOEING DOUGLAS PRODUCTS DIV L J HART SMITH 3855 LAKEWOOD BLVD D800 0019 LONG BEACH CA 90846-0001	1	GENERAL DYNAMICS AMPHIBIOUS SYS SURVIVABILITY LEAD G WALKER 991 ANNAPOLIS WAY WOODBIDGE VA 22191
1	LOCKHEED MARTIN SKUNK WORKS D FORTNEY 1011 LOCKHEED WAY PALMDALE CA 93599-2502	6	INST FOR ADVANCED TECH H FAIR I MCNAB P SULLIVAN S BLESS W REINECKE C PERSAD 3925 W BRAKER LN STE 400 AUSTIN TX 78759-5316
1	LOCKHEED MARTIN R FIELDS 5537 PGA BLVD STE 4516 ORLANDO FL 32839	2	CIVIL ENGR RSCH FOUNDATION PRESIDENT H BERNSTEIN R BELLE 1015 15TH ST NW STE 600 WASHINGTON DC 20005
1	MATERIALS SCIENCES CORP G FLANAGAN 500 OFC CENTER DR STE 250 FT WASHINGTON PA 19034	1	ARROW TECH ASSO 1233 SHELBURNE RD STE D8 SOUTH BURLINGTON VT 05403-7700
1	NORTHROP GRUMMAN CORP ELECTRONIC SENSORS & SYSTEMS DIV E SCHOCH MS V 16 1745A W NURSERY RD LINTHICUM MD 21090	1	R EICHELBERGER CONSULTANT 409 W CATHERINE ST BEL AIR MD 21014-3613
1	GDLS DIVISION D BARTLE PO BOX 1901 WARREN MI 48090	1	UCLA MANE DEPT ENGR IV H T HAHN LOS ANGELES CA 90024-1597
2	GDLS D REES M PASIK PO BOX 2074 WARREN MI 48090-2074	2	UNIV OF DAYTON RESEARCH INST R Y KIM A K ROY 300 COLLEGE PARK AVE DAYTON OH 45469-0168
1	GDLS MUSKEGON OPERATIONS W SOMMERS JR 76 GETTY ST MUSKEGON MI 49442		

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>	<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
1	UMASS LOWELL PLASTICS DEPT N SCHOTT 1 UNIVERSITY AVE LOWELL MA 01854	1	UNIV OF MAINE ADV STR & COMP LAB R LOPEZ ANIDO 5793 AEWC BLDG ORONO ME 04469-5793
1	IIT RESEARCH CENTER D ROSE 201 MILL ST ROME NY 13440-6916	1	JOHNS HOPKINS UNIV APPLIED PHYSICS LAB P WIENHOLD 11100 JOHNS HOPKINS RD LAUREL MD 20723-6099
1	GA TECH RSCH INST GA INST OF TCHNLGY P FRIEDERICH ATLANTA GA 30392	1	UNIV OF DAYTON J M WHITNEY COLLEGE PARK AVE DAYTON OH 45469-0240
1	MICHIGAN ST UNIV MSM DEPT R AVERILL 3515 EB EAST LANSING MI 48824-1226	5	UNIV OF DELAWARE CTR FOR COMPOSITE MTRLS J GILLESPIE M SANTARE S YARLAGADDA S ADVANI D HEIDER 201 SPENCER LABORATORY NEWARK DE 19716
1	UNIV OF WYOMING D ADAMS PO BOX 3295 LARAMIE WY 82071		
2	PENN STATE UNIV R MCNITT C BAKIS 212 EARTH ENGR SCIENCES BLDG UNIVERSITY PARK PA 16802	1	DEPT OF MATERIALS SCIENCE & ENGINEERING UNIVERSITY OF ILLINOIS AT URBANA CHAMPAIGN J ECONOMY 1304 WEST GREEN ST 115B URBANA IL 61801
1	PENN STATE UNIV R S ENGEL 245 HAMMOND BLDG UNIVERSITY PARK PA 16801	1	NORTH CAROLINA STATE UNIV CIVIL ENGINEERING DEPT W RASDORF PO BOX 7908 RALEIGH NC 27696-7908
1	PURDUE UNIV SCHOOL OF AERO & ASTRO C T SUN W LAFAYETTE IN 47907-1282	1	UNIV OF MARYLAND DEPT OF AEROSPACE ENGNRNG A J VIZZINI COLLEGE PARK MD 20742
1	STANFORD UNIV DEPT OF AERONAUTICS & AEROBALLISTICS S TSAI DURANT BLDG STANFORD CA 94305	1	DREXEL UNIV A S D WANG 32ND & CHESTNUT ST PHILADELPHIA PA 19104

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
3	UNIV OF TEXAS AT AUSTIN CTR FOR ELECTROMECHANICS J PRICE A WALLS J KITZMILLER 10100 BURNET RD AUSTIN TX 78758-4497
3	VA POLYTECHNICAL INST & STATE UNIV DEPT OF ESM M W HYER K REIFSNIDER R JONES BLACKSBURG VA 24061-0219
1	SOUTHWEST RSCH INST ENGR & MATL SCIENCES DIV J RIEGEL 6220 CULEBRA RD PO DRAWER 28510 SAN ANTONIO TX 78228-0510

ABERDEEN PROVING GROUND

1	US ARMY MATERIEL SYSTEMS ANALYSIS ACTIVITY P DIETZ 392 HOPKINS RD AMXSY TD APG MD 21005-5071
1	DIRECTOR US ARMY RESEARCH LAB AMSRL OP AP L APG MD 21005-5066
90	DIR USARL AMSRL CI AMSRL CI S A MARK AMSRL CS IO FI M ADAMSON AMSRL SL BA AMSRL SL BL D BELY R HENRY AMSRL SL BG AMSRL SL I

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
	<u>ABERDEEN PROVING GROUND (CONT)</u>
	AMSRL WM J SMITH AMSRL WM B A HORST AMSRL WM BA D LYON AMSRL WM BC P PLOSTINS J NEWILL S WILKERSON A ZIELINSKI AMSRL WM BD B FORCH R FIFER R PESCE RODRIGUEZ B RICE AMSRL WM BE C LEVERITT AMSRL WM BF J LACETERA AMSRL WM BR C SHOEMAKER J BORNSTEIN AMSRL WM M D VIECHNICKI G HAGNAUER J MCCAULEY AMSRL WM MA L GHIORSE S MCKNIGHT AMSRL WM MB B FINK J BENDER T BOGETTI R BOSSOLI L BURTON K BOYD S CORNELISON P DEHMER R DOOLEY W DRYSDALE G GAZONAS S GHIORSE D GRANVILLE D HOPKINS C HOPPEL D HENRY R KASTE M KLUSEWITZ M LEADORE

NO. OF
COPIES ORGANIZATION

ABERDEEN PROVING GROUND (CONT)

R LIEB
E RIGAS
J SANDS
D SPAGNUOLO
W SPURGEON
J TZENG
E WETZEL
A FRYDMAN
AMRSL WM MC
J BEATTY
E CHIN
J MONTGOMERY
A WERECZCAK
J LASALVIA
J WELLS
AMRSL WM MD
W ROY
S WALSH
AMRSL WM T
B BURNS
M ZOLTOSKI
AMRSL WM TA
W GILLICH
T HAVEL
J RUNYEON
M BURKINS
E HORWATH
B GOOCH
W BRUCHEY
M NORMANDIA
AMRSL WM TB
D KOOKER
P BAKER
AMRSL WM TC
R COATES
AMRSL WM TD
A DAS GUPTA
T HADUCH
T MOYNIHAN
F GREGORY
M RAFTENBERG
M BOTELER
T WEERASOORIYA
D DANDEKAR
A DIETRICH
AMRSL WM TE
A NIILER
J POWELL

NO. OF
COPIES ORGANIZATION

ABERDEEN PROVING GROUND (CONT)

AMRSL SS SD
H WALLACE
AMRSL SS SE DS
R REYZER
R ATKINSON

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>	<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
1	LTD R MARTIN MERL TAMWORTH RD HERTFORD SG13 7DG UK	1	ISRAEL INST OF TECHNOLOGY S BODNER FACULTY OF MECHANICAL ENGR HAIFA 3200 ISRAEL
1	SMC SCOTLAND P W LAY DERA ROSYTH ROSYTH ROYAL DOCKYARD DUNFERMLINE FIFE KY 11 2XR UK	1	DSTO WEAPONS SYSTEMS DIVISION N BURMAN RLLWS SALISBURY SOUTH AUSTRALIA 5108 AUSTRALIA
1	CIVIL AVIATION ADMINSTRATION T GOTTESMAN PO BOX 8 BEN GURION INTERNL AIRPORT LOD 70150 ISRAEL	1	ECOLE ROYAL MILITAIRE E CELENS AVE DE LA RENAISSANCE 30 1040 BRUXELLE BELGIQUE
1	AEROSPATIALE S ANDRE A BTE CC RTE MD132 316 ROUTE DE BAYONNE TOULOUSE 31060 FRANCE	1	DEF RES ESTABLISHMENT VALCARTIER A DUPUIS 2459 BOULEVARD PIE XI NORTH VALCARTIER QUEBEC CANADA PO BOX 8800 COURCELETTE GOA IRO QUEBEC CANADA
1	DRA FORT HALSTEAD P N JONES SEVEN OAKS KENT TN 147BP UK	1	INSTITUT FRANCO ALLEMAND DE RECHERCHES DE SAINT LOUIS DE M GIRAUD 5 RUE DU GENERAL CASSAGNOU BOITE POSTALE 34 F 68301 SAINT LOUIS CEDEX FRANCE
1	DEFENSE RESEARCH ESTAB VALCARTIER F LESAGE COURCELETTE QUEBEC COA IRO CANADA	1	ECOLE POLYTECH J MANSON DMX LTC CH 1015 LAUSANNE SWITZERLAND
1	SWISS FEDERAL ARMAMENTS WKS W LANZ ALLMENDSTRASSE 86 3602 THUN SWITZERLAND		
1	DYNAMEC RESEARCH AB AKE PERSSON BOX 201 SE 151 23 SODERTALJE SWEDEN		

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
1	TNO DEFENSE RESEARCH R IJSSELSTEIN ACCOUNT DIRECTOR R&D ARMEE PO BOX 6006 2600 JA DELFT THE NETHERLANDS
2	FOA NATL DEFENSE RESEARCH ESTAB DIR DEPT OF WEAPONS & PROTECTION B JANZON R HOLMLIN S 172 90 STOCKHOLM SWEDEN
2	DEFENSE TECH & PROC AGENCY GROUND I CREWTHERR GENERAL HERZOG HAUS 3602 THUN SWITZERLAND
1	MINISTRY OF DEFENCE RAFAEL ARMAMENT DEVELOPMENT AUTH M MAYSELESS PO BOX 2250 HAIFA 31021 ISRAEL
1	TNO DEFENSE RESEARCH I H PASMAN POSTBUS 6006 2600 JA DELFT THE NETHERLANDS
1	B HIRSCH TACHKEMONY ST 6 NETAMUA 42611 ISRAEL
1	DEUTSCHE AEROSPACE AG DYNAMICS SYSTEMS M HELD PO BOX 1340 D 86523 SCHROBENHAUSEN GERMANY

INTENTIONALLY LEFT BLANK.

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
<small>Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1216 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.</small>				
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE	3. REPORT TYPE AND DATES COVERED		
	August 2002	Reprint, October 1998–September 1999		
4. TITLE AND SUBTITLE		5. FUNDING NUMBERS		
High Performance Visors		ARMO0762/AH84		
6. AUTHOR(S)		8. PERFORMING ORGANIZATION REPORT NUMBER		
Peter G. Dehmer and Melissa A. Klusewitz		ARL-RP-45		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)		10. SPONSORING/MONITORING AGENCY REPORT NUMBER		
U.S. Army Research Laboratory ATTN: AMSRL-WM-MB Aberdeen Proving Ground, MD 21005-5069				
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)		11. SUPPLEMENTARY NOTES		
		A reprint from the 8th Department of Defense Electromagnetic Windows Symposium, U.S. Air Force Academy, Colorado Springs, CO, April 2000.		
12a. DISTRIBUTION/AVAILABILITY STATEMENT		12b. DISTRIBUTION CODE		
Approved for public release; distribution is unlimited.				
13. ABSTRACT (Maximum 200 words)				
<p>Polycarbonate (PC) has been the material of choice for both military and commercial eye protection since its introduction nearly 40 years ago. PC is a clear, easily molded material with excellent impact resistance over a broad temperature range. It does, however, have several limitations; its impact properties are degraded by extended exposure to direct sunlight, it is attacked by common solvents, and its impact performance does not scale with thickness. This paper discusses the development of materials for two new visors, an all-plastic riot visor to replace an existing PC item and a glass/plastic visor to replace the existing acrylic/PC explosive ordnance disposal (EOD) visor. The goal for the riot visor is to improve the ballistic performance by 30% while maintaining or reducing the overall weight of the visor. The goal for the EOD visor is to produce an item that provides protection equal to that of the standard issue helmet while reducing the weight of the visor 30%, compared to the existing EOD visor. The approach is to investigate polyurethane (PU) materials for use in the all-plastic riot visor and to investigate the use of glass/plastic or plastic/plastic laminates using the PU materials to reduce the weight and increase the performance of the EOD visor. Issues addressed will include materials selection, bonding and fabrication, and ballistics evaluation. The results of this effort are the ballistic characterization of the PU materials for use in both all plastic and glass/plastic systems.</p>				
14. SUBJECT TERMS		15. NUMBER OF PAGES		
polyurethane, glass, transparent armor, polycarbonate		30		
		16. PRICE CODE		
17. SECURITY CLASSIFICATION OF REPORT	18. SECURITY CLASSIFICATION OF THIS PAGE	19. SECURITY CLASSIFICATION OF ABSTRACT	20. LIMITATION OF ABSTRACT	
UNCLASSIFIED	UNCLASSIFIED	UNCLASSIFIED	UL	

NSN 7540-01-280-5500

Standard Form 298 (Rev. 2-89)
Prescribed by ANSI Std. Z39-18 298-102

INTENTIONALLY LEFT BLANK.